

It's all  
about the  
experience



BADEN HAUS S.p.A.  
SINCE 1979  
www.badenhaus.it

# BELLAGIO

## Series

### Features:











- Drawers push-open and soft-close
- Handleless ergonomic continuous drawer
- Includes fully adjustable drawer sliders
- Fully finished interiors
- Includes installation hardware
- Medium-Density Fiberboard (MDF) construction
- PVC finish resists moisture and scratches

### Notes:

All sizes of vanities are subject to tolerance,  
+/- 0.40 inches

Side view for plumbing

Back view for plumbing






**Installation notes:**

Install this product according to the installation guide  
 Special site preparation is required.


Wall bracing and Baden Haus supplied hardware are recommended.

The plumbing must be roughed into the plumbing cutout area of the vanity.

Refer to the sink rough-in and the vanity rough-in for proper placement. The water supply and drain lines must be installed before installing the vanity.


**Installation tools not included:**

**Materials Included:**

- 8 nylon rawlplug
- 8 screws
- 2 wall plate




**Step 1**

Pull out completely the drawers and take off from the slide rails.


**Step 2**


Determine the ideal location of your new vanity. Mark the holes and drill pilot holes in the dry wall.


**Step 3**

Place the wall brackets on the finished wall and install at the locations drilled with the screws as shown here.

According to measures taken on step 2, make drills with diameter 0,3in. For each wall plate must be made 4 holes. Then insert nylon rawlplug for each drill.



Fix wall plate to wall using screws. After that plates are strongly fixed on wall, you can install vanity on wall.



**Step 4**





It is possible to adjust the vanity using the adjusting screws.

4



**Step 5**

Fully extend the slide rails out. Place the drawer into the slide rails. To secure drawer, close the drawer until a series of clicks are heard.



**Sink assembly**



Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

**Installation notes:**



Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)

**RESIN BASIN ART. 50212**


Top view of sink


**RESIN BASIN ART. 50213**

Top view of sink


**RESIN BASIN ART. 50214**

Top view of sink



**Sink assembly**


Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

**Installation notes:**


Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)

**RESIN BASIN ART. 50215**

Top view of sink


**RESIN BASIN ART. 50216**

Top view of sink



**Sink assembly**


Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

**Installation notes:**



Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)

**SOLID SURFACE TOP ART. 50185**


Top view of sink


**SOLID SURFACE BASIN ART. 50184**

**SOLID SURFACE TOP ART. 50186**


Top view of sink


**SOLID SURFACE TOP ART. 50187**

Top view of sink


**SOLID SURFACE TOP ART. 50188**

Top view of sink



**Sink assembly**



Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

**Installation notes:**



Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)

**WOODEN TOP ART. 50189**


Top view of sink


**CERAMIC BASIN ART. 50179**

**WOODEN TOP ART. 50190**


Top view of sink


**WOODEN TOP ART. 50191**

Top view of sink


**WOODEN TOP ART. 50192**

Top view of sink



LUXURY ITALIAN  
FURNITURE

It's all  
about the  
experience



BADEN HAUS S.p.A.  
SINCE 1979  
www.badenhaus.it

# HANGING CABINET

Series Bellagio - Art. 54720/54721/54722/  
54895/54896/54897/54898/54899/54900/54901  
54902/54903/54904

Series Venus - Art. 42211/42212/42213

Series Roxanne - Art. 42240/42241




## Features:

Includes installation hardware

Micro-Density Fiberboard (MDF) construction

Side view

Back view






# HANGING CABINET

Series Bellagio


**Installation notes:**

Install this product according to the installation guide.  
Choose fitting hardware according to wall material.


**Installation tools not included:**



**Parts supplied:**



**X4**




**X4**




# HANGING CABINET

Series Bellagio


1



2



3



4

