





Side view for plumbing









TIFFANY Series


Features:


Includes fully adjustable drawer sliders Fully finished interiors Includes installation hardware Medium-Density Fiberboard (MDF) construction PVC finish resists moisture and scratches


Notes:


All sizes of vanities are subject to tolerance, +/- 0.40 inches


Back view for plumbing
















FURNITURE CHARACTERISTIC



Cabinet in MDF, sides and drawers thickness 0,74in, coated in PVC 0,01in waterproof and scratchproof that guarantee long life and reliability. Cabinet with dividers in the upper

Cabinet with dividers in the uppe drawer.



Resin washbasin thickness 0,98in impact resistant. Ceramic washbasin thickness 0,70in and resistant to high temperature and impacts. Also tops available in MDF cated in PVC 0,01in in matt white waterproof scratchproof that guarantee long life and reliability with ceramic washbasin and faucet in any position: center, right, left or wall position. The top can be easily perforated with hole saw for wood.



It is not necessary to assemble the cabinet (product not in kit).

Soft closing hinges guaranteed for

100,000 cycles. Soft closing slides

and slides used in furniture and

3 different positions.

guaranteed for 60,000 cycles. Hinges

complementary allow the adjustment in

MIRRORS



Mirroir lighting full-led, guarantee an energy saving of a 80/90% compared to a classic lighting incandescent or halogen and life of about 3/5 times higher.



The LED lighting can exceed 50.000 hours of activities, reducing the costs of maintenance. Not produce heat and withstand the high temperatures. IP44 (C) (C)



Unlike normal halogen lamps, do not contain mercury and do not emit harmful UV rays for the health.







Install this product according to the installation guide Special site preparation is required.

Wall bracing and Baden Haus supplied hardware are recommended.

The plumbing must be roughed into the plumbing cutout area of the vanity.

Refer to the sink rough-in and the vanity rough-in for proper placement. The water supply and drain lines must be installed before installing the vanity.










Step 1

Pull out completely the drawers and take off from the slide rails.



Determine the ideal location of your new vanity. Mark the holes and drill pilot holes in the wall.




Step 3

Place the vanity frame on the finished wall and install at the locations drilled with the screws shown in Figure 3:

The long nylon raw for the long screw with nylon washer and metal washer and fix with acorn nut.

The short nylon raw for the short screw.

Fully extend the slide rails out. Place the drawer into the slide rails. To secure drawer, close the drawer until a series of clicks are heard.








Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)

Sink assembly

Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.


CERAMIC BASIN ART. 50202

Top view of sink





CERAMIC BASIN ART. 50201


Top view of sink




CERAMIC BASIN ART. 50200















Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)


Sink assembly

Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

CERAMIC BASIN ART. 50135












Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)


Sink assembly

Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

RESIN BASIN ART. 50203


Top view of sink







RESIN BASIN ART. 50169

Top view of sink



RESIN BASIN ART. 50170











Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)


Sink assembly

Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.

RESIN BASIN ART. 50211













Sink assembly

Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks. Apply a bead of silicone behind the top surface to the finished wall.


WOODEN TOP ART. 50237-50238-50239






WOODEN TOP ART. 50240-50241-50242

Top view of sink




WOODEN TOP ART. 50243-50244-50245

Top view of sink



WOODEN TOP ART. 50246-50247-50248


Top view of sink




Installation notes:

Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)

CERAMIC BASIN ART. 50179










MIRROR Series Tiffany- Art. 45040/45041/45042

Features:

20 W, 1155 Lm, 6500 K Includes adjustable support Fully finished backboard Includes installation hardware Micro-Density Fiberboard (MDF) construction












MIRROR Series Tiffany- Art. 45043/45044/45045

Features:

30 W, 1300 Lm, 6500 K Includes adjustable support Fully finished backboard Includes installation hardware Micro-Density Fiberboard (MDF) construction












Features:

30 W, 1490 Lm, 6500 K Includes adjustable support Fully finished backboard Includes installation hardware Micro-Density Fiberboard (MDF) construction




Back view


Side view





Install this product according to the installation guide Wall bracing and Baden Haus supplied hardware are recommended.





MIRRORS



Mirroir lighting full-led, guarantee an energy saving of a 80/90% compared to a classic lighting incandescent or halogen and life of about 3/5 times higher.




The LED lighting can exceed 50.000 hours of activities, reducing the costs of maintenance. Not produce heat and withstand the high temperatures. IP44 C (




Unlike normal halogen lamps, do not contain mercury and do not emit harmful UV rays for the health.



















The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.







Features:


Fully finished interiors Includes installation hardware Micro-Density Fiberboard (MDF) construction PVC finish resists moisture and scratches

Side view

Back view













Install this product according to the installation guide. Choose fitting hardware according to wall material.








HANGING CABINET SeriesTiffany - Art. 54957/54958/54959

2






HIGH CUPBOARD SeriesTiffany - Art. 54963/54964/54965


Features:

Fully finished interiors Includes installation hardware Micro-Density Fiberboard (MDF) construction PVC finish resists moisture and scratches

Side view

Back view












Install this product according to the installation guide. Choose fitting hardware according to wall material.








HIGH CUPBOARD SeriesTiffany - Art. 54963/54964/54965








SINGLE BASE UNIT SeriesTiffany - Art. 54960/54961/54962


Features:


Fully finished interiors Includes installation hardware Micro-Density Fiberboard (MDF) construction PVC finish resists moisture and scratches

Side view

Back view













Install this product according to the installation guide. Choose fitting hardware according to wall material.







SINGLE BASE UNIT SeriesTiffany - Art. 54960/54961/54962

