

1973


**Series** Features:


Includes fully adjustable drawer sliders Fully finished interiors Includes installation hardware Medium-Density Fiberboard (MDF) construction PVC finish resists moisture and scratches Notes:


All sizes of vanities are subject to tolerance, +/- 0.40 inches


Back view for plumbing

Side view for plumbing





































### **FURNITURE CHARACTERISTIC**



Cabinet in MDF, sides and drawers thickness 0,6in, coated in PVC 0,01in waterproof and scratchproof that guarantee long life and reliability.



Soft closing hinges guaranteed for 100,000 cycles. Soft closing slides guaranteed for 60,000 cycles. Hinges and slides used in furniture and complementary allow the adjustment in 3 different positions.



Resin washbasin thickness 0,8in impact resistant.



It is not necessary to assemble the cabinet (product not in kit).

### **MIRRORS**



Mirroir lighting full-led, guarantee an energy saving of a 80/90% compared to a classic lighting incandescent or halogen and life of about 3/5 times higher.



The LED lighting can exceed 50.000 hours of activities, reducing the costs of maintenance. Not produce heat and withstand the high temperatures.



Unlike normal halogen lamps, do not contain mercury and do not emit harmful UV rays for the health.




#### **Installation notes:**


Install this product according to the installation guide Special site preparation is required.

Wall bracing and Baden Haus supplied hardware are recommended.

The plumbing must be roughed into the plumbing cutout area of the vanity.

Refer to the sink rough-in and the vanity rough-in for proper placement. The water supply and drain lines must be installed before installing the vanity.








 $\stackrel{\circ}{\mathbb{H}}$ 

Step 1


Pull out completely the drawers and take off from the slide rails.



1973

### Step 2

Determine the ideal location of your new vanity. Mark the holes and drill pilot holes in the wall.




### Step 3


Place the vanity frame on the finished wall and install at the locations drilled with the screws shown in Figure 3:

The long nylon raw for the long screw with nylon washer and metal washer and fix with acorn nut.

The short nylon raw for the short screw.


Fully extend the slide rails out.
Place the drawer into the slide rails.
To secure drawer, close the drawer until a series of clicks are heard.








### Only for 1973, 55in, install the bracket assembly. Version with set of 2 legs





### Only for 1973, version with set of 2 legs

### Series 1973 - Art. 40401/40402/40403/40404





#### Installation notes:

Faucet and silicone are not included. All sizes of sinks are subject to tolerance: +/- 0.40 inches (ceramic) and +/- 0.20 inches (glass and resin)


### Sink assembly

Install the faucet to the top and drains to the sink. Refer to the faucet and drain manufacturer's instructions. Complete the faucet connections. Run water and check for leaks.

Apply a bead of silicone behind the top surface to the finished wall.


#### **RESIN BASIN ART. 50212**

Top view of sink




### **RESIN BASIN ART. 50213**


Top view of sink





### **RESIN BASIN ART. 50215**

Top view of sink












### MIRROR Series 1973 - Art. 45078/46062


### Features:


30 W, 1468 Lm, 6500 K Includes adjustable support Fully finished backboard Includes installation hardware Micro-Density Fiberboard (MDF) construction

Side view

Back view











### MIRROR Series 1973 - Art. 45079/46063


### Features:

39 W, 2310 Lm, 6500 K Includes adjustable support Fully finished backboard Includes installation hardware Micro-Density Fiberboard (MDF) construction





Side view









#### Installation notes:

Install this product according to the installation guide Wall bracing and Baden Haus supplied hardware are recommended.





### **MIRRORS**



Mirroir lighting full-led, guarantee an energy saving of a 80/90% compared to a classic lighting incandescent or halogen and life of about 3/5 times higher.




The LED lighting can exceed 50.000 hours of activities, reducing the costs of maintenance. Not produce heat and withstand the high temperatures.



Unlike normal halogen lamps, do not contain mercury and do not emit harmful UV rays for the health.



### MIRROR Series



UN It's all

about the

experience

BADEN HAUS S.p.A.

SINCE 1979


www.badenhaus.it

### **HIGH CUPBOARD**

Series - Art. 44675/54595/44735/44914/ 44597/44782/44783/54586/44672/44694/ 44846/44828

#### Features:

Includes installation hardware Micro-Density Fiberboard (MDF) construction







## HIGH CUPBOARD

### Installation notes:

Install this product according to the installation guide. Choose fitting hardware according to wall material.







# HIGH CUPBOARD Series

